

RELIABILITY

PLAYABILITY



 **SPI**TM

PLAY
components

where kids want to play



PROUD MEMBERS



SPI INDUSTRIES

165 Stoneman Drive
(Shouldice Block Road & Joynt Street)
Shallow Lake, Ontario, Canada

800-269-6533
www.spiplastics.com



Copyright © 2017, SPI Industries. September 2017.
All rights reserved. Printed in Canada

TABLE OF CONTENTS

ACCESSORIES

Adventure Table	6
Clear Bubble Windows	7
Decks	8
Funball	9
Link™	10
Log Roll	11
Riding Animals – 1 up	12
Riding Animals – 2 up	13
Sneaker Keepers	14
Steering Wheel	15
Stepping Stones	16
Timber Edge Products	17

ACTIVITY PANELS

Ball Turn Activity Panel	20-21
C-Force Activity Panel	20-21
Alarm Clock Activity Panel	20-21
Driving Activity Panel	20-21
Gears Activity Panel	20-21
Gyro Activity Panel	20-21
Mirror Activity Panel	20-21
Pinball Activity Panel	20-21
Sign Language Activity Panel	20-21
Tic-Tac-Dino Activity Panel	20-21
Tic-Tac-Toe Activity Panel	20-21

CLIMBERS

Cliff Hanger	24
Dino-Mite Climber	26
Bedrock Climber	27
Fredrock Climber	28

PANELS

24" Panels	30
30" Panels	31

ROOFS

Cupola Roof	34
Gable Roof	35
Hex Roof	36
Pyramid Roof (4' and 5')	37

SLIDES

Deck Mounting Systems	40
Slide Hoods	41
Curve Slides	42
Double Wall Slides	43
Double Wall Wave Slides	44
Sectional Slides – Starglide	45
Spiral Slide	50
3' Triple Rail Slide	51
4' Triple Rail Wave Slide	52
5' Triple Rail Wave Slide	53
Tube Slides	54

TUBES & COMPONENTS

Elbows	58
Flanged Tube Exit	59
Tubes	60
Crawl Tube Assemblies	61

APPENDIX

Plastic Colours	64
Polyethylene Resin Specifications	65
Warranty	66
CAD Files & Images	66



ACCESSORIES

Adventure Table	6
Clear Bubble Windows	7
Decks	8
Funball	9
Link™	10
Log Roll	11
Riding Animals – 1 up	12
Riding Animals – 2 up	13
Sneaker Keepers	14
Steering Wheel	15
Stepping Stones	16
Timber Edge Products	17





ADVENTURE TABLE

ADVENTURE TABLE	
PART NO.	ADV, TABLE
DIMENSIONS	73.5" l x 31" w x 32" h (186.9 cm x 78.7 cm x 75.2 cm)
WEIGHT	80 lbs (36.3 kg)

Dimensions and weights are approximate.

- ✦ A great miniature play landscape for small cars, toy animals and action figures
- ✦ ADA accessible
- ✦ Foundation for kids imaginative play
- ✦ A table filled with activities
- ✦ Every aspect of the table designed for play
- ✦ Suitable for boys and girls
- ✦ Ages 2-10
- ✦ Great for multiple children to play with at the same time
- ✦ 100% durable maintenance free one-piece polyethylene table
- ✦ No assembly




CLEAR BUBBLE WINDOW
IN 30" FLAT PANEL

CLEAR BUBBLE WINDOWS

	24" CLEAR BUBBLE WINDOW	30" CLEAR BUBBLE WINDOW
PART NO.	B24,CL	B30,CL
DIMENSIONS	24" (61 cm) diameter 28" x 28" x 10" rise (71 cm x 71 cm x 25 cm rise)	30" (76.2 cm) diameter 35" x 35" x 10" rise (89 cm x 89 cm x 25 cm rise)
HOLE DIAMETER	24" (61 cm)	30" (76.2 cm)
WEIGHT	5 lbs (2.3 kg)	7 lbs (3.2 kg)

Dimensions and weights are approximate.

For information on clear bubble windows mounted in panels, see panels section pages 30 and 31.



DECK4

DECK3,TRI

DECK4,PIE

DECKS

	36" SQUARE	36" TRIANGULAR	48" SQUARE	48" TRIANGULAR	48" PIE
PART NO.	DECK3	DECK3, TRI	DECK4	DECK4, TRI	DECK4, PIE
DIMENSIONS	36" l x 36" w x 3" h (91.4 cm x 91.4 cm x 7.6 cm)	36" l x 36" w x 3" h (91.4 cm x 91.4 cm x 7.6 cm)	48" l x 48" w x 3" h (121.9 cm x 121.9 cm x 7.6 cm)	48" l x 48" w x 3" h (121.9 cm x 121.9 cm x 7.6 cm)	48" l x 48" w x 3" h (121.9 cm x 121.9 cm x 7.6 cm)
WEIGHT	30 lbs (13.6 kg)	18 lbs (8.2 kg)	60 lbs (27.2 kg)	29 lbs (13.2 kg)	40 lbs (18.2 kg)

Dimensions and weights are approximate.



FUNBALL

FUNBALL	
PART NO.	FUNBALL
DIMENSIONS	46" widest point x 33" tall (116.8 cm x 83.8 cm)
WEIGHT	75 lbs (34 kg) PLASTIC ONLY

Dimensions and weights are approximate.

- Design for 3.5" (8.9 cm) o.d. pipe
- 3 exit points, 1 entry point
- A great addition to any play area
- Shipped assembled

Please note: the Funball is sized for regulation sized basketballs.

Note: Interior collar included. Pipe is not included.



LINK™

THE LINK	
PART NO.	LINK
DIMENSIONS	42" l x 12" w x 14.5" h diameter (105.7 cm x 30.5 cm x 35.8 cm)
WEIGHT	15 lbs (6.8 kg)

Dimensions and weights are approximate.

- Unlimited range of configurations and possibilities
- Utilizes pipe diameters from 1.25" - 3.5" (3.3 cm - 9.1cm)
- 3 tier non-skid surface, stackable design
- Double value; an incline or decline configuration
- Designed with added structural strength features
- Drainage flow built into the design creating a product with no water pooling concerns
- Appropriate safety surfacing material required with installation
- A product that allows your imagination to soar

Note: Pipe/structure is not included.

Contact our team for custom designs and quotations
800-269-6533



LOG ROLL

LOG ROLL	
PART NO.	LOGROLL
DIMENSIONS	48" l x 16" diameter (122 cm x 40.6 cm diameter)
WEIGHT	38 lbs (17.2 kg)

Dimensions and weights are approximate.

- The Log Roll is a classic on the playground
- The log rotates as the children step on it
- It has a non-skid surface
- A challenging and safe component
- Can be installed as either a horizontal or vertical activity



RIDING ANIMALS 1 UP

- Built park tough
- High impact resistance in a heavy wall design
- Smooth, rounded, gentle lines eliminates concerns of sharp protruding handles, corners and edges
- Can be installed as a motion component with a spring stand or as a stationary activity.
- Non-skid foot rests
- Enclosed handle grips
- Maintenance free

	FROG PLASTIC ONLY NO BASE	WHALE PLASTIC ONLY NO BASE	SPRING STAND	FLOOR MOUNT BASE
PART NO.	RA,FR,N/B	RA,WH,N/B	RA,SPRING	HW,STAND,WH/FR
DIMENSIONS	35" l x 21" w x 23" h (89.9 cm x 53.3 cm x 58.4 cm)	32" l x 19.75" w x 16" h (81.3 cm x 50.2 cm x 40.6 cm)	19" l x 8" w x 8" h (48.3 cm x 20 cm x 20 cm)	
WEIGHT	29 lbs (13.2 kg)	20 lbs (9.1 kg)	31 lbs (14 kg)	13.5 lbs (6 kg)

Dimensions and weights are approximate.



RIDING ANIMALS 2 UP


- Double riding animal for 1 or 2 children
- Built park tough
- High impact resistance in a heavy wall design
- Smooth, rounded, gentle lines eliminates concerns of sharp protruding handles, corners and edges
- Can be installed as a motion component with a spring stand or as a stationary activity.



- Non-skid foot rests
- Enclosed handle grips
- Maintenance free

	ELEPHANT PLASTIC ONLY NO BASE	SPRING STAND	FLOOR MOUNT BASE
PART NO.	RA,EL,N/B	RA,SPRING,EL	HW,STAND,EL
DIMENSIONS	39" l x 27" w x 29" h (99.1 cm x 68.6 cm x 73.7 cm)	15.25" l x 15.5" w x 19" h (38.7 cm x 39.4 cm x 48.3cm)	
WEIGHT	40 lbs (18 kg)	100 lbs (45.4 kg)	15 lbs (6.8 kg)

Dimensions and weights are approximate.



SNEAKER KEEPERS

- Horizontal applications
- Single tier application available
- Select any colour per tier and cap
- **Private label option available**

Please contact our team for different configurations

800-269-6533

www.spiplastics.com

	SINGLE COMPONENT (6 OPENINGS)	HORIZONTAL SNEAKER KEEPER (18 OPENINGS) 3 components + cap	HORIZONTAL SNEAKER KEEPER (24 OPENINGS) 4 components + cap
PART NO.	SKS	SKS,3-RISE	SKS,4-RISE
DIMENSIONS	53" l x 13" w x 14.5" h (135 cm x 33 cm x 36 cm)	53" l x 13" w x 43" h (135 cm x 33 cm x 109 cm)	53" l x 13" w x 54" h (135 cm x 33 cm x 137 cm)
WEIGHT	20 lbs (9.1 kg)	100 lbs (45.4 kg)	120 lbs (54.4 kg)

Dimensions and weights are approximate.



STEERING WHEEL

STEERING WHEEL	
PART NO.	SW
DIMENSIONS	13" l x 13" w x 6" h (33 cm x 33 cm x 15.2 cm)
WEIGHT	3 lbs (1.4 kg)

Dimensions and weights are approximate.

- Rotationally molded plastic designed with no openings
- Outside diameter is 13" (33 cm)
- Mounting hole under secure centre cap




STEPPING STONE

STEPPING STONE	
PART NO.	STEPSTONE
DIMENSIONS	14" l x 14" w x 8" h (35.6 cm x 35.6 cm x 20.3 cm)
WEIGHT	5 lbs (2.3kg)

Dimensions and weights are approximate.

- Durable heavy duty polyethylene component
- Designed with non-skid surface
- Molded-in threaded inserts for secure attachments
- Can be mounted on the ground or hanging posts
- Add it to your play area in many configurations





TIMEDGE,C



TIMEDGE,2



TIMEDGE,BK



HW,PEG

TIMBER EDGE

	TIMBER EDGE (RECYCLED BLACK RESIN)	TIMBER EDGE - CURVED (RECYCLED BLACK RESIN)	2" TIMBER EDGE (RECYCLED BLACK RESIN)	TIMBER PEG
PART NO.	TIMEDGE,BK	TIMEDGE,C	TIMEDGE,2	HW,PEG
DIMENSIONS	78" l x 5.5" w x 12" h (198 cm x 14 cm x 30.5 cm)	62" l x 5.5" w x 12" h (157.5 cm x 14 cm x 30.5 cm)	Installed Part 24" l x 5.5" w x 12" h (61 cm x 14 cm x 30.5 cm) Actual Length of Part 29" (73.7 cm)	29" l x 3/4" diameter (73.7 cm x 1.9 cm diameter)
WEIGHT	25 lbs (11.3 kg)	18 lbs (8.2 kg)	8 lbs (3.6 kg)	1.25 lbs (0.6 kg)

Dimensions and weights are approximate.



ACTIVITY PANELS

ACTIVITY PANELS

Alarm Clock Activity Panel	20
Ball Turn Activity Panel	20
C-Force Activity Panel	20
Driving Activity Panel	20
Gears Activity Panel	20
Gyro Spinner Activity Panel	20
Mirror Activity Panel	21
Pinball Activity Panel	21
Sign Language Activity Panel	21
Tic-Tac-Dino Activity Panel	21
Tic-Tac-Toe Activity Panel	21
Tic-Tac-Dino 9 Piece Set	21
Tic-Tac-Toe 9 Piece Set	21





AC,CLOCK,ALARM



AC,BALLTURN



AC,CFORCE



AC,MIRROR



AC,PINBALL

ACTIVITY PANELS

- Activity Panels add to any playground
- Bright, bold colours

	ALARM CLOCK	BALL TURN	C-FORCE	DRIVING	GEARS	GYRO SPINNER
PART NO.	AC,CLOCK, ALARM	AC,BALLTURN	AC,CFORCE	AC,DRIVING	AC,GEARS	AC,GYRO
DIMENSIONS	Size depends on application	43" x 41" x 5" (109 cm x 104 cm x 12.7 cm)	43" x 41" x 5" (109 cm x 104 cm x 12.7 cm)	43" x 41" x 8" (109 cm x 104 cm x 20.3 cm)	43" x 41" x 5" (109 cm x 104 cm x 12.7 cm)	43" x 41" x 5" (109 cm x 104 cm x 12.7 cm)
WEIGHT	-	25 lbs (11.3 kg)	30 lbs (13.6 kg)	30 lbs (13.6 kg)	30 lbs (13.6 kg)	25 lbs (11.3 kg)

Dimensions and weights are approximate.



AC,DRIVING



AC,GEARS



AC,GYRO



AC,SIGNLANGUAGE



AC,TIC-TAC-DINO



AC,TIC-TAC-TOE

MIRROR	PINBALL	SIGN LANGUAGE	TIC-TAC-DINO	TIC-TAC-TOE	TIC-TAC-DINO 9-PIECE	TIC-TAC-TOE 9 PIECE
AC,MIRROR	AC,PINBALL	AC,SIGNLANGUAGE	AC,TIC-TAC-DINO	AC,TIC-TAC-TOE	TTD9	TTT9R
43" x 41" x 3" (109 cm x 104 cm x 7.6 cm)	43" x 41" x 5" (109 cm x 104 cm x 12.7 cm)	43" x 41" x 3" (109 cm x 104 cm x 7.6 cm)	43" x 41" x 8" (109 cm x 104 cm x 20.3 cm)	43" x 41" x 8" (109 cm x 104 cm x 20.3 cm)	Box Dimensions 22" x 22" x 10" (55.9 cm x 55.9 cm x 25.4 cm)	Box Dimensions 22" x 22" x 10" (55.9 cm x 55.9 cm x 25.4 cm)
25 lbs (11.3 kg)	30 lbs (13.6 kg)	25 lbs (11.3 kg)	35 lbs (15.9 kg)	35 lbs (15.9 kg)	15 lbs (6.8 kg)	15 lbs (6.8 kg)



CLIMBERS

CLIMBERS

Cliff Hanger	24
Dino-Mite™ Climber	26
Bedrock Climber	27
Fredrock Climber	28






CLIFF HANGER

THE CLIFF HANGER

PART NO.	CLIFFHANGER
DIMENSIONS	67" widest point x 8" smallest point x 68.25" l (170 cm x 20 cm x 173.5 cm)
WEIGHT	100 lbs (45.4 kg)

Dimensions and weights are approximate.

- The Cliff Hanger Climber simulates the challenge of over hanging cliff
- What a great work out for older children who have the strength and dexterity to conquer the challenge
- The opposite side provides easy access for younger children to make a quick climb to the top
- The over hang also provides a great hand-over-hand upper body strength challenge
- Use one or many to create original and interesting climbing walls
- Add your own steel ladders, climbers, etc. between units to create amazing futuristic structures







SINGLE CLIMBER




BELL CLIMBER



MOUNTED BELL




CLIMBING CENTRE




CLIMBING WALL




LAUNCH PAD



TULIP CLIMBER



MOUNTED TULIP



UP/DOWN CLIMBER

- ✦ When mounted vertically the Cliff Hanger does not create a standing surface (greater than 30° angle or decline)
- ✦ Tested with 500 lbs. (226.8 kg) hanging from the over hanging cliff
- ✦ Futuristic shape and design
- ✦ There are many configurations you can make using the Cliff Hanger. These are just ideas to get your creative juices flowing.



MOUNTING:

1. Use 3½" (9 cm) or smaller diameter pipes inside or
2. Bracket to outside vertical mounting area

NOTE: Pipe is not included.

800-269-6533
www.spioplastics.com



DINO-MITE™ CLIMBER

DINO-MITE™ CLIMBER	
PART NO.	DINO6
DIMENSIONS	62" l x 34" w x 90" h (157.5 cm x 86.4 cm x 228.6 cm)
WEIGHT	175 lbs (79.4 kg)

Dimensions and weights are approximate.

- ✦ Can be used for 5' and 6' deck height installations
- ✦ No secondary components required
- ✦ Variety of step profiles for climbing
- ✦ Both sides of the Dino-Mite™ Climber are different allowing for added interest and face-to-face installs
- ✦ Molded in handrails
- ✦ Multiple climbing methods
- ✦ Challenging for children of all ages
- ✦ Appealing and playground enhancing
- ✦ Realistic dinosaur appearance; great textures
- ✦ A play innovation with fun yet realistic qualities
- ✦ Easy one-piece installation



BEDROCK CLIMBER

	BEDROCK CLIMBER	BEDROCK CAP
PART NO.	BRC	BRC,CAP
DIMENSIONS	66" l x 36" w x 6" d (167.6 cm x 91.4 cm x 15.2 cm)	68.5" l x 6" w x 6" d (174 cm x 15.2 cm x 15.2 cm)
WEIGHT	65 lbs (29.5 kg)	12 lbs (5.4 kg)

Dimensions and weights are approximate.

- Brings simulated rock climbing to the playground
- Easily installed with 4 ft. (1.2 m) or 5 ft. (1.5 m) deck heights
- Easy climb foot recesses and raised hand holds
- Unique recreational concept



FREDROCK CLIMBER

FREDROCK CLIMBER	
PART NO.	FRC
DIMENSIONS	78.5" l x 44.75" w x 7" d (199.4 cm x 113.7 cm x 17.8 cm)
WEIGHT	80 lbs (36.3 kg)

Dimensions and weights are approximate.

- The Fredrock climber has many features! It can be installed on a 4 ft. (1.2 m) or 5 ft. (1.5 m) deck height simply by turning the wall from one end to the other
- On the climbing surface there are a variety of protruding geometric shapes with recognizable universal symbols, eg. stars, numbers
- On the underside of the climber is another great game! Children follow the path of their favourite animals' foot prints
- The overall features of this climber are: versatility, educational aspects, ease of climb, rounded edges for childrens' safety and visual appeal

PANELS

PANELS

24" Panels 30

30" Panels 31





ACTP,2002



P24,2002

24" PANELS

	CLEAR BUBBLE WINDOW PANEL (MOUNTED IN FLAT PANEL WITH RIVETS)	FLAT PANEL (ROUND OPENING)
PART NO.	BP24C	P24,2002
DIMENSIONS	39" x 31" x 10" (99 cm x 78.8cm x 25.4cm)	39" x 31" x 3" (99 cm x 78.8 cm x 7.6 cm)
HOLE DIAMETER	24" (61 cm)	24" (61 cm)
WEIGHT	20lbs (9.1 kg)	15lbs (9.1 kg)


Dimensions and weights are approximate.

- ✦ Panels add colour
- ✦ They create attractive safety enclosures for structures
- ✦ Provide safe entry into a tube slide or crawl tube
- ✦ Recessed on both sides
- ✦ Chamfered edges


For information on purchasing Clear Bubble Windows separately see accessories page 7.



BP30C



FS,SP5



FP30,2002

30" PANELS

- Panels add colour
- They create attractive safety enclosures for structures
- Provide safe entry into a tube slide or crawl tube

- Recessed on both sides
- Chamfered edges

For information on purchasing Clear Bubble Windows separately see accessories page 7.

	CLEAR BUBBLE WINDOW PANEL (MOUNTED IN FLAT PANEL WITH RIVETS)	ACTIVITY PANEL (NO ACTIVITY)	FLAT PANEL (ROUND OPENING)	VENTILATION PANEL
PART NO.	BP30C	ACTP,2002	FP30,2002	FS,SP5
DIMENSIONS	43" x 41" x 10" (109 cm x 104 cm x 25.4 cm)	43" x 41" x 2.5" (109 cm x 104 cm x 6.4 cm)	43" x 41" x 3" (109 cm x 104 cm x 7.6 cm)	43" x 41" x 3" (109 cm x 104 cm x 7.6 cm)
HOLE DIAMETER	30" (76.2 cm)	28.5" x 28.5" (72.4 cm x 72.4 cm)	30" (76.2 cm)	n/a
WEIGHT	20 lbs (9.1 kg)	20 lbs (9.1 kg)	20 lbs (9.1 kg)	20 lbs (9.1 kg)

Dimensions and weights are approximate.



ROOFS

ROOFS

Cupola Roof	34
Gable Roof	35
Hex Roof	36
Pyramid Roof - 4' and 5'	37





CUPOLA ROOF

CUPOLA ROOF	
PART NO.	CUPOLAROOF
DIMENSIONS	70" l x 70" w x 44" h (178 cm x 178 cm x 112 cm)
WEIGHT	132 lbs (60 kg)

Dimensions and weights are approximate.

- Classic cupola roof design will add visual appeal to your playground
- Easily installed




GABLE ROOF

GABLE ROOF	
PART NO.	GABLEROOF
DIMENSIONS	56" l x 54.75" w x 27" h (1.4 m x 1.4 m x 0.7 m)
WEIGHT	65 lbs (29.5 kg)

Dimensions and weights are approximate.

- This roof is sleek and designed to add that extra class to your playground
- Easily installed
- Provides a fun design and theme to your play structure



HEX ROOF

8' HEX ROOF	
PART NO.	PR8
DIMENSIONS	Outside: 109.5" x 109.5" x 39.75" h (278.4 cm x 278.4 cm x 101 cm) Inside: 92" x 92" (234 cm x 234 cm)
WEIGHT	170 lbs (77 kg)

Dimensions and weights are approximate.

- Double walled roof
- Sleek design
- No standing surfaces
- Suitable for hexagonal platforms and other large decks
- Six (6) mounting points on a 36" radius and 60° between mounting points



PR4,2002



PR5,DW

PYRAMID ROOF

	4' PYRAMID ROOF	5' PYRAMID ROOF
PART NO.	PR4,2002	PR5,DW
DIMENSIONS	53.5" l x 53.5" w x 23" h (135.9 cm x 135.9 cm x 58.5 cm)	60" l x 60" w x 22" h (152.4 cm x 152.4cm x 55.9 cm)
WEIGHT	60 lbs (27.3 kg)	80 lbs (36.3 kg)

Dimensions and weights are approximate.

- Pyramid Roofs — classic style, traditional look




SLIDES

SLIDES

Deck Mounting System	40
Slide Hoods	41
Curve Slides	42
Double Wall Slides	42
Double Wall Wave Slides	44
Sectional Slide - Starglide	45
Spiral Slide	50
3' Triple Rail Slides	51
4' Triple Rail Slides	52
5' Triple Rail Slides	53
Tube Slides	54



DECK MOUNTING SYSTEM



The face of the slide has a 1° draft to ensure the top of the slide face contacts the face of the deck first. When the hardware is installed the top of the slide face is pulled tightly against the face of the deck.

List of slides with 1° draft:

3' Flat Slide (3DWFS)

4' Flat Slide (4DWFS)

4' Curve Slide (4CURVED)

5' Flat Slide (5DWFS)

5' Curve Slide (5CURVED)

6' Spiral Slide (SS6,HP)

All Starglide Hoods

& Starglide Single Entrance

The face of the slide is concave. When placed against the face of the deck this causes the outer edges of the slide to contact the face of the deck first. By installing the centre mounting bolts first the outer edges of the slide are pressed tightly against the face of the deck.

List of slides with concave face:

2' Flat Slide (2DWFS)

3' Curve Slide (3CURVED,N)

3' Triple Rail Slide (3TRS)


4' Triple Rail Slide (4TRS)

4' Wave Slide (4DWWS)

5' Triple Rail Slide (5TRS)

5' Wave Slide (5DWWS)

6' Wave Slide (6DWWS,2002)





SLIDE HOODS

- Great sleek designs
- Slide hoods help to prevent children from standing on the slide

	DOUBLE WALL SLIDE HOOD	DOUBLE WALL SLIDE HOOD (36")	TRIPLE RAIL SLIDE HOOD	TRIPLE RAIL SLIDE HOOD (48")
PART NO.	DWFS,HOOD	DWFS,HOOD36	TRS,HOOD	TRS,HOOD48
DIMENSIONS	40" l x 38" h x 16" d (101.6 cm x 96.5 cm x 40.6 cm)	36" l x 44" h x 15" d (91.4 cm x 112 cm x 38.1 cm)	45" l x 30" h x 16" d (114.3 cm x 76.2 cm x 40.6 cm)	48" l x 33" h x 14.5" d (101.6 cm x 96.5 cm x 40.6 cm)
WEIGHT	28 lbs (13 kg)	30 lbs (14 kg)	27 lbs (12.3 kg)	25 lbs (11.3 kg)

Dimensions and weights are approximate.



4CURVED

CURVED SLIDE

	3' - 90° CURVED SLIDE	4' CURVED SLIDE	5' CURVED SLIDE
PART NO.	3CURVED,N	4CURVED	5CURVED
DECK HEIGHT	36" (91.4 cm)	48" (121.9 cm)	60" (152.4 cm)
WIDTH	24" (61 cm)	24" (61 cm)	24" (61 cm)
BED WIDTH	18" (91.4 cm)	18" (91.4 cm)	18" (91.4 cm)
LENGTH	70" (177.8 cm)	111" (292 cm)	130" (330.2 cm)
WEIGHT	65 lbs (29.5 kg)	90 lbs (41 kg)	110 lbs (50 kg)

Dimensions and weights are approximate.

- One piece commercial slides with built-in level entrance and elevated molded exit
- No seams! No joints! Eliminates concerns of potential string entrapment
- Molded-in foot



2DWFS

DOUBLE WALL SLIDE

	2' DOUBLE WALL	3' DOUBLE WALL	4' DOUBLE WALL	5' DOUBLE WALL
PART NO.	2DWFS	3DWFS	4DWFS	5DWFS
DECK HEIGHT	24" (61 cm)	36" (91.4 cm)	48" (121.9 cm)	60" (152.4 cm)
WIDTH	24" (61 cm)	23.5" (59.7 cm)	23.5" (59.7 cm)	23.5" (59.7 cm)
BED WIDTH	17" (43.2 cm)	17.5" (44.5 cm)	17.5" (44.5 cm)	17.5" (44.5 cm)
LENGTH	58" (147.3 cm)	90" (228.6 cm)	116" (294.6 cm)	132" (335.3 cm)
WEIGHT	40 lbs (18.2 kg)	60 lbs (27.2 kg)	75 lbs (34 kg)	100 lbs (45.4 kg)

Dimensions and weights are approximate.

- One piece commercial slides with built-in level entrance and elevated molded exit
- No seams! No joints! Eliminates concerns of potential string entrapment
- Molded-in foot



DOUBLE WALL WAVE SLIDE

	4' DOUBLE WALL WAVE	5' DOUBLE WALL WAVE	6' DOUBLE WALL WAVE
PART NO.	4DWWS	5DWWS	6DWWS,2002
DECK HEIGHT	48" (122 cm)	60" (152.4 cm)	72" (183 cm)
WIDTH	24" (61 cm)	24" (61 cm)	24.5" (62.2 cm)
BED WIDTH	17" (43.2 cm)	17" (43.2 cm)	17.5" (44.5 cm)
LENGTH	108" (274.3 cm)	128" (325.1 cm)	145" (368.3 cm)
WEIGHT	85 lbs (38.5 kg)	90 lbs (40.8 kg)	110 lbs (50 kg)

Dimensions and weights are approximate.

- ✦ Radius bedway
- ✦ Extra large rounded exit and entrance corners provide added strength and safety
- ✦ Molded-in foot
- ✦ Slide deck height stamped into foot for ease of recognition



SGO,VEER



SG,TBS,VSV



STARGLIDE SECTIONAL SLIDES

Sectional slides provide diversity in slide design made easy with multiple configurations and deck height options.

Please contact our team for custom slide options.

800-269-6533 | www.spioplastics.com

STARGLIDE SECTIONAL SLIDE

SINGLE BED SLIDES		
DESCRIPTION	PART #	WEIGHT
Starglide 3' Straight	SG,3STR	109.5 lbs (50 kg)
Starglide 4' Straight	SG,4STR	127 lbs (58 kg)
Starglide 5' Straight	SG,5STR	142.5 lbs (65 kg)
Starglide 5' Wave	SG,5W	142.5 lbs (65 kg)
Starglide 5' Veer Left	SG,5VEER,L	142.5 lbs (65 kg)
Starglide 5' Veer Right	SG,5VEER,R	142.5 lbs (65 kg)
Starglide 6' Straight	SG,6STR	176 lbs (80 kg)
Starglide 6' Wave	SG,6W	176 lbs (80 kg)
Starglide 6' Veer Left	SG,6VEER,L	176 lbs (80 kg)
Starglide 6' Veer Right	SG,6VEER,R	176 lbs (80 kg)
Starglide 7' Straight	SG,7STR	192 lbs (87 kg)
Starglide 7' Wave	SG,7W	192 lbs (87 kg)
Starglide 7' Veer Left	SG,7VEER,L	192 lbs (87 kg)
Starglide 7' Veer Left Wave	SG,7VEER,L,W	192 lbs (87 kg)
Starglide 7' Veer Right	SG,7VEER,R	192 lbs (87 kg)
Starglide 7' Veer Right Wave	SG,7VEER,R,W	192 lbs (87 kg)
Starglide 7' Snake Left	SG,7SNAKE,L	192 lbs (87 kg)
Starglide 7' Snake Right	SG,7SNAKE,R	192 lbs (87 kg)
Starglide 7' Turn Left	SG,7TURN,L	192 lbs (87 kg)
Starglide 7' Turn Right	SG,7TURN,R	192 lbs (87 kg)
Starglide 8' Straight	SG,8STR	209 lbs (95 kg)
Starglide 8' Wave	SG,8W	209 lbs (95 kg)
Starglide 8' Veer Left	SG,8VEER,L	209 lbs (95 kg)

SINGLE BED SLIDES		
DESCRIPTION	PART #	WEIGHT
Starglide 8' Veer Left Wave	SG,8VEER,L,W	209 lbs (95 kg)
Starglide 8' Veer Right	SG,8VEER,R	209 lbs (95 kg)
Starglide 8' Veer Right Wave	SG,8VEER,R,W	209 lbs (95 kg)
Starglide 8' Turn Left	SG,8TURN,L	209 lbs (95 kg)
Starglide 8' Turn Right	SG,8TURN,R	209 lbs (95 kg)
Starglide 8' Snake Left	SG,8SNAKE,L	209 lbs (95 kg)
Starglide 8' Snake Right	SG,8SNAKE,R	209 lbs (95 kg)
Starglide 3' Straight Open Entrance	SGO,3STR	84.5 lbs (38 kg)
Starglide 4' Straight Open Entrance	SGO,4STR	102 lbs (46 kg)
Starglide 5' Straight Open Entrance	SGO,5STR	117.5 lbs (53 kg)
Starglide 5' Wave Open Entrance	SGO,5W	117.5 lbs (53 kg)
Starglide 5' Veer Left Open Entrance	SGO,5VEER,L	117.5 lbs (53 kg)
Starglide 5' Veer Right Open Entrance	SGO,5VEER,R	117.5 lbs (53 kg)
Starglide 6' Straight Open Entrance	SGO,6STR	151 lbs (68.5 kg)
Starglide 6' Wave Open Entrance	SGO,6W	151 lbs (68.5 kg)
Starglide 6' Veer Left Open Entrance	SGO,6VEER,L	151 lbs (68.5 kg)
Starglide 6' Veer Right Open Entrance	SGO,6VEER,R	151 lbs (68.5 kg)
Starglide 7' Straight Open Entrance	SGO,7STR	166.5 lbs (75.5 kg)
Starglide 7' Wave Open Entrance	SGO,7W	166.5 lbs (75.5 kg)
Starglide 7' Veer Left Open Entrance	SGO,7VEER,L	166.5 lbs (75.5 kg)
Starglide 7' Veer Left Wave Open Entrance	SGO,7VEER,L,W	166.5 lbs (75.5 kg)
Starglide 7' Veer Right Open Entrance	SGO,7VEER,R	166.5 lbs (75.5 kg)
Starglide 7' Veer Right Wave Open Entrance	SGO,7VEER,R,W	166.5 lbs (75.5 kg)


SINGLE BED SLIDES		
DESCRIPTION	PART #	WEIGHT
Starglide 7' Snake Left Open Entrance	SGO,7SNAKE,L	166.5 lbs (75.5 kg)
Starglide 7' Snake Right Open Entrance	SGO,7SNAKE,R	166.5 lbs (75.5 kg)
Starglide 7' Turn Left Open Entrance	SGO,7TURN,L	166.5 lbs (75.5 kg)
Starglide 7' Turn Right Open Entrance	SGO,7TURN,R	166.5 lbs (75.5 kg)
Starglide 8' Straight Open Entrance	SGO,8STR	184 lbs (83.5 kg)
Starglide 8' Wave Open Entrance	SGO,8W	184 lbs (83.5 kg)
Starglide 8' Veer Left Open Entrance	SGO,8VEER,L	184 lbs (83.5 kg)
Starglide 8' Veer Left Wave Open Entrance	SGO,8VEER,L,W	184 lbs (83.5 kg)
Starglide 8' Veer Right Open Entrance	SGO,8VEER,R	184 lbs (83.5 kg)
Starglide 8' Veer Right Wave Open Entrance	SGO,8VEER,R,W	184 lbs (83.5 kg)
Starglide 8' Turn Left Open Entrance	SGO,8TURN,L	184 lbs (83.5 kg)
Starglide 8' Turn Right Open Entrance	SGO,8TURN,R	184 lbs (83.5 kg)
Starglide 8' Snake Left Open Entrance	SGO,8SNAKE,L	184 lbs (83.5 kg)
Starglide 8' Snake Right Open Entrance	SGO,8SNAKE,R	184 lbs (83.5 kg)

TRIPLE BED SLIDES		
DESCRIPTION	PART #	WEIGHT
Starglide 5' Triple Bed Slide, Straight/Straight/Straight	SG,5TBS,SSS	372.5 lbs (169 kg)
Starglide 5' Triple Bed Slide, Veer Left/Straight/Veer Right	SG,5TBS,VSV	372.5 lbs (169 kg)
Starglide 6' Triple Bed Slide, Straight/Straight/Straight	SG,6TBS,SSS	473 lbs (214.5 kg)
Starglide 6' Triple Bed Slide, Veer Left/Straight/Veer Right	SG,6TBS,VSV	473 lbs (214.5 kg)
Starglide 7' Triple Bed Slide, Straight/Straight/Straight	SG,7TBS,SSS	519.5 lbs (236 kg)
Starglide 7' Triple Bed Slide, Veer Left/Straight/Veer Right	SG,7TBS,VSV	519.5 lbs (236 kg)
Starglide 8' Triple Bed Slide, Straight/Straight/Straight	SG,8TBS,SSS	572 lbs (259.5 kg)
Starglide 8' Triple Bed Slide, Veer Left/Straight/Veer Right	SG,8TBS,VSV	572 lbs (259.5 kg)

A VEER IS 45°, A TURN IS 90°
 Dimensions and weights are approximate.

Please contact our team for custom designs or for deck heights beyond 8' standard designs listed above


800-269-6533 | www.spioplastics.com



SG,ENTRANCE



SG,ENTRANCE REAR VIEW



SGO,ENT

SGO,ENT SIDE VIEW



SG,EXIT

STARGLIDE SECTIONAL SLIDE - INDIVIDUAL PARTS


DESCRIPTION	PART #	WEIGHT
STARGLIDE OPEN ENTRANCE	SGO,ENT	30 lbs (13.6 kg)
STARGLIDE ENTRANCE	SG,ENTRANCE	55 lbs (25 kg)
STARGLIDE EXIT	SG,EXIT	54.5 lbs (24.7 kg)
STARGLIDE STRAIGHT	SG,STRAIGHT	17.6 lbs (8 kg)
STARGLIDE STRAIGHT DOUBLE	SG,STR,DOUBLE	33 lbs (15 kg)



SG,TBS,ENT SIDE VIEW



SG,TBS,ENT




SG,TBS,ENT REAR VIEW



SG,SUPPORT

DESCRIPTION	PART #	WEIGHT
STARGLIDE SUPPORT	SG,SUPPORT	16 lbs (7.25 kg)
STARGLIDE TRIPLE BED SLIDE ENTRANCE	SG,TBS,ENT	110 lbs (50 kg)
STARGLIDE TURN LEFT	SG,TURN,LEFT	33 lbs (15 kg)
STARGLIDE TURN RIGHT	SG,TURN,RIGHT	33 lbs (15 kg)
STARGLIDE WAVE	SG,WAVE	33 lbs (15 kg)



Slide entrance dimensions for installation purpose

SPIRAL SLIDE

6' SPIRAL SLIDE WITH HOOD & POST	
PART NO.	SS6,HP
DECK HEIGHT	67" - 75" (170.2 - 190.5 cm)
WIDTH	60" (1.5 m)
HEIGHT	100" (2.5 m)
WEIGHT	180 lbs (81.6 kg)

Dimensions and weights are approximate.

- One piece 6' Spiral Slide with integral hood
- No assembly required
- No string entrapment concerns
- Sleek, smooth design
- Metal component includes 5" (12.7 cm) diameter full length pole, which includes extension for in-ground installation
- Metal plate provides shipping platform and support for slide exit



3' TRIPLE RAIL SLIDE

	3' DECK TRIPLE RAIL SLIDE (WITH FOOT)	3' DECK TRIPLE RAIL SLIDE (NO FOOT)
PART NO.	3TRS	3TRS,OLD
DECK HEIGHT	36" (91.4 cm)	36" (91.4 cm)
WIDTH	42" (107.7 cm)	36" (91.4 cm)
BED WIDTH	17" x 2 (43.2 cm x 2)	13" x 2 (33 cm x 2)
LENGTH	60" (152.4 cm)	78" (198 cm)
WEIGHT	80 lbs (36.3 kg)	75 lbs (34 kg)

Dimensions and weights are approximate.

- Triple Rail Slides have two slide beds molded as one (1) complete unit
- Two versions; one with a foot and one without
- Rounded entrance and exit rails on 3TRS



4' TRIPLE RAIL WAVE SLIDE

4' DECK TRIPLE RAIL SLIDE	
PART NO.	4TRS
DECK HEIGHT	48" (122 cm)
WIDTH	41" (104 cm)
HEIGHT	17" x 2 (43.2 cm x 2)
LENGTH	97.25" (247 cm)
WEIGHT	140 lbs (63.5 kg)

Dimensions and weights are approximate.

- ✦ Triple Rail Slides have two slide beds molded as one (1) complete unit
- ✦ This great slide has one (1) **concave wave** and one (1) **convex wave**
- ✦ Rounded corners
- ✦ Molded-in foot




5' TRIPLE RAIL WAVE SLIDE

	5' DECK TRIPLE RAIL WAVE SLIDE
PART NO.	5TRS
DECK HEIGHT	60" (452 cm)
WIDTH (AT DECK)	41" (104 cm)
MAX. WIDTH (AT EXIT)	55.5" (141 cm)
BED WIDTH	16.25" x 2 (41.3 cm x 2)
LENGTH	117" (297 cm)
WEIGHT	150 lbs (68 kg)

Dimensions and weights are approximate.

- Triple Rail Wave Slides have two (2) bedways molded as one (1) complete unit
- One (1) **concave** and one (1) **convex** slide bed
- 3 molded-in mounting foot locations (2 at exit and 1 on back of slide in the centre)
- Rounded entrance and exit rails
- A truly DYNAMIC slide to add into your playground system!



CUSTOM SPIRAL TUBE SLIDES

- Available in 30" diameters
- Molded in bell joints allow for connections for additional length or use with elbows
- Installation suggestions:
 - Adventure Parks
 - Campgrounds
 - Home/Cottages
 - Office
 - Treehouses
 - Backyards
 - Churches
 - Boat Docks
 - Fire Stations
 - Daycares

Please contact our team for custom slide designs and pricing.

800-269-6533 | www.spioplastics.com



CUSTOM STRAIGHT TUBE SLIDES

- Available in 30" diameters
- Molded in bell joints allow for connections for additional length or use with elbows
- Installation suggestions:
 - Adventure Parks
 - Campgrounds
 - Home/Cottages
 - Office
 - Treehouses
 - Backyards
 - Churches
 - Boat Docks
 - Fire Stations
 - Daycares

Please contact our team for custom slide designs and pricing.

800-269-6533 | www.spiplastics.com

SLIDES



TUBES & COMPONENTS

Elbows	58
Flanged Tube Exit	59
Tubes	60
Crawl Tube Assemblies	61





30° ELBOW



90° ELBOW

ELBOWS

- Elbows are an integral part of any playground
- Elbows available for 24" and 30" (61 cm and 76.2 cm) diameters

	24" (61 cm) 30° ELBOW	24" (61 cm) 90° ELBOW	30" (72.6 cm) 30° ELBOW	30" (72.6 cm) 45° ELBOW	30" (72.6 cm) 90° ELBOW
PART NO.	E2430	E2490	E3030	E3045	E3090
DIAMETER	24" (61 cm)	24" (61 cm)	30" (72.6 cm)	30" (72.6 cm)	30" (72.6 cm)
ANGLE	30°	90°	30°	45°	90°
WEIGHT	28 lbs (12.7 kg)	35 lbs (15.9 kg)	65 lbs (29.5 kg)	75 lbs (34 kg)	65 lbs (29.5 kg)

Dimensions and weights are approximate.



FLANGED TUBE EXIT


FLANGED TUBE EXIT	
PART NO.	EE30
DIAMETER	30" (76.2 cm)
4" BELL	Yes
LENGTH	39" (99.1 cm)
WEIGHT	45 lbs (20.4 kg)

Dimensions and weights are approximate.

- Flanged Tube Exit for the end of your tube slide
- Great sleek appearance



2' TUBE




STRF

TUBES

- Tubes are an integral part of any playground
- Tubes available for 24" and 30" (61 cm and 76.2 cm) diameter

	24" FULL 2' TUBE	24" FULL 7' TUBE	30" FULL 2' TUBE	30" FULL 5' TUBE	30" FULL 6' TUBE	30" FULL 7' TUBE	STRAIGHT FLANGE
PART NO.	24x2FTB	24x7FTB	30x2FTB	30x5FTB	30x6FTB	30x7FTB	STRF
3" BELL	Yes	Yes	Yes	Yes	Yes	Yes	n/a
DIAMETER	24" (61 cm)	24" (61 cm)	30" (76.2 cm)	30" (76.2 cm)	30" (76.2 cm)	30" (76.2 cm)	34.5" (87.6 cm)
LENGTH	24" (61 cm)	84" (213.4 cm)	24" (61 cm)	60" (152.4 cm)	72" (182.9 cm)	84" (213.4 cm)	n/a
WEIGHT	30 lbs (13.6 kg)	80 lbs (36.3 kg)	42 lbs (19 kg)	100 lbs (45.4 kg)	105 lbs (47.6 kg)	112 lbs (50.8 kg)	15 lbs (6.8 kg)

Dimensions and weights are approximate.



CRAWL TUBE ASSEMBLIES

- 24" and 30" crawl tube assemblies

Please contact our team for customized designed crawl tubes, incline crawls, elbow crawls and more.

800-269-6533 | www.spiplastics.com




APPENDIX

APPENDIX

Plastic Colours	64
Resin Specifications	65
Warranty & CAD Files	66





Please note that despite every effort to accurately duplicate each colour, some colours may vary. Colour variations in products may occur due to the nature of the rotational mold manufacturing process.

NOTE: Pumpkin Spice and Spring Green are not suitable for single wall parts.

EXXON LL DPE LL 8555 POLYETHYLENE RESIN SPECIFICATIONS			
RESIN PROPERTIES	TYPICAL VALUE	UNITS	TEST BASED ON
Density	0.936	g/cm ³	ExxonMobil Method
Melt Index (190°C/2.16kg)	6.8	g/10 min	ASTM D1238
THERMAL			
Deflection Temperature Under Load (DTUL) at 66psi - Unannealed	52	°C	ASTM D648
Deflection Temperature Under Load (DTUL) at 264psi - Unannealed	36	°C	ASTM D648
Peak Melting Temperature	126	°C	ASTM D3418
MOLDED PROPERTIES			
Tensile Strength at Yield (50mm/minute)	16	MPa	ASTM D638
Elongation at Yield (50mm/minute)	10	%	ASTM D638
Flexural Modulus - 1% Secant	570	MPa	ASTM D790B
Environmental Stress-Crack Resistance 10% Igepal, F50 100% Igepal, F50	50 >1000	hr hr	ASTM D1693A
IMPACT			
Impact Strength -40°C, 3.18mm -40°C, 6.35mm	80 203	J J	ARM
ADDITIONAL INFORMATION			
<ul style="list-style-type: none"> - All physical properties were measured on 3mm rotomolded samples unless a different value is shown, except for ESCR, which was measured on compression molded samples - Tensile testing was conducted at a crosshead speed of 50 mm/min. The tensile strength reported refers to the maximum stress reached during the test - Test procedures may be modified to accommodate operating conditions or facility limitations - Meets FDA requirements - UV-stabilized 			

All SPI parts comply with CAN/CSA-Z614-14;
ASTM F-1918-12 and F-2373-11



WARRANTY

This Warranty policy is for plastic Playground Components manufactured by SPI Industries Inc.

It is the goal of SPI to provide our customers with the finest playground components. Our extensive knowledge of the industry is your assurance that you will receive quality playground components.

SPI provides a 10 (ten) year limited warranty for all SPI Polyethylene Components. This warranty covers structural failure for the value of the product, not including freight charges or labour expense. Warranty does not cover vandalism or cosmetic issues (such as color fading).

CAD FILES

Please note the .DWG and Images for the various components listed in this catalogue are available for you to download.

The CAD files are Autocad 2002 compatible. Some of the files may work back to Autocad 14, but due to continuous software changes this is not always compatible.

Most files are drawn in solids, but some complex components are drawn in surfaces and are not exact representations.

To find out how to access these files please contact our office at 1-800-269-6533.



**CALL US FOR
A QUOTE TODAY**

800-269-6533

www.spiplastics.com



Copyright © 2017, SPI Industries. Revised September 2017.
All rights reserved. Print in Canada