





# TIPTANK4,NG & TIPTANK7,NG

### **Wall Mounted**


1




2




3




4



5




30 mm - 65 mm (1.5" - 2.5")



[T] 800-269-6533 or 519-935-2211

[F] 519-935-2174








# TIPTANK4,NG & TIPTANK7,NG


#### **Floor Mounted**





2a TIPTANK4,NG

2b

TIPTANK7,NG







Shallow Lake, ON N0H 2K0 Canada


[T] 800-269-6533 or 519-935-2211 [F] 519-935-2174

spi@spiplastics.com www.spiplastics.com \*SPI



# Installation

#### TIPTANK4,NG & TIPTANK7,NG



Copyright © 2004 - 2022 SPI Plastics Inc. All rights reserved

Printed in Canada

6 COLUMN TO THE SECOND 60 cm (23.5")84 cm - 89 cm (33" - 35")

Water Pressure: Please note the valve is appropriate for water pressure

Updated: July 2015

# Warranty Policy



It is the goal of SPI Plastics Inc. to provide our customers with the finest in livestock watering equipment products.

SPI provides a 1 (one) year warranty on any purchase of our livestock watering equipment, which includes the models listed below. This warranty covers defects in the material or workmanship. The warranty however, is limited only to the value of the defected part and does not include any freight charges, loss of production and/or changes in operation. It does not cover damage due to careless machine handling and neglect. Proof of purchase is required.

> **Electric Models\*\***: EE10NG, VS15E, VS20E, VS20LPE

351NG, 352NG **Energy Free Models:** 

Tip Tanks: TIPTANK4,NG, TIPTANK7,NG

XL Series: 7XL, 10XL, 12XL

Stock Tanks: 35GALLON, 100GALLON, 150GALLON

VS15. VS20, VS20LP Value Series:

#### SPI provides a 1 (One) Year Warranty for:

Float and Valve

**Door Hinges** 

Submersible Heater and Heat Tape

\*\*Note: To ensure the life of your electric livestock waterer be sure that the waterer is drained and shut off when not in use.

Copyright © 2004 - 2022 SPI Plastics Inc. All rights reserved Printed in Canada

165 Stoneman Drive, Box 100 Shallow Lake, ON N0H 2K0 Canada [T] 800-269-6533 or 519-935-2211

[F] 519-935-2174

spi@spiplastics.com www.spiplastics.com



Updated: April 2022

Water Pressure: The valve is appropriate for water

pressure up to 55 psi.